

Visual Dx 使用指南 移动版



Wolters Kluwer


VisualDX图形化的诊断决策系统

VisualDx是一个支持临床诊断决策的在线系统，能够有效提升诊断的准确性，辅助治疗决策，增强患者的安全感。

使用Visual Dx可以：

- 访问高度专业的医学知识
- 认知疾病变异
- 辨识药物副作用
- 提升患者教育
- 助力快速、准确的临床决策

涵盖超过2,800种疾病，提供超过 40,000张图片。



下载安装VisualDX移动版

苹果版



安卓版




请打开手机上的浏览器，使用地址栏旁边的扫描框扫描下载，不要使用微信扫描。



VisualDX移动版激活步骤

第一步： 使用订购单位IP地址范围内的电脑访问VisualDX网络版；如在院区外，请使用VPN等远程方式登录后，再访问网络版。



第二步： 网络版页面点击红框处，创建个人账号，然后使用个人账号在移动设备激活Apps。



移动版界面



DermExpert功能



皮肤病专家功能直接对身体表面的损伤或病症，拍照上传，协助诊断。

点击搜索栏旁边的照相机图标，使用DermExpert功能；

选择拍照或已有照片上传诊断。



输入各项检查结果

患者检查结果

取消

Q 输入其它检查结果

患者信息

女性, 40-49 岁

>

检查结果

表皮脱落

>

工作问题

皮肤病变数量

>

皮肤损害类型

>

皮损的分布

>

皮肤检查结果部位

>

症状/体征

>

检查结果发作

>

患者外表

>

病史

>

阴性结果

>

检查结果

<

设置

30-39 岁

婴儿

80 岁以上

女性

男性

存为默认

输入各项检查结果

患者检查结果

取消

Q 输入其它检查结果

工作问题

皮肤病变数量

皮肤损害类型

皮损的分布
肢端

皮肤检查结果部位

症状/体征

检查结果发作

患者外表

病史

阴性结果

瘙痒

无瘙痒

疼痛性皮肤损伤

光敏性

发热

头痛

关节痛

疼痛不成比例检查结果

面潮红

黄疸

淋巴结肿大

1


34

精确匹配

近似匹配

[illegible]

确认诊断强度，查看诊断结果



查看具体病症信息

<

诊断详细信息

概要

图片 (69)

内容

概要

编码

查找

诊断范式

鉴别诊断及隐患

最佳测试

调理范式

疗法

参考

结节性痒疹 在 成人

另见于

儿童

贡献者: Vivian Wong MD, PhD, Lauren Ko, Belinda Tan MD, PhD, Susan Burstein MD

概要

Prurigo nodularis is a chronic condition of uncertain etiology. Although exact prevalence is unknown, it is most commonly seen in patients 45 years and older and seems to be more common in women. Patients present with one or more (usually multiple) discrete, severely pruritic nodules that mostly appear on the extensor surfaces of extremities and anterior areas of the thighs and legs. The lesions are rarely seen on the face. The lesions are triggered by repetitive rubbing or scratching of discrete areas of the skin. Pruritus is described as severe and distressing and can become worse with heat, sweating, or irritation from friction. It may alternatively be induced by repetitive picking or rubbing of nonpruritic skin.

Prurigo nodularis may be secondary to skin conditions associated with pruritus, such as atopic dermatitis and xerosis, as well as systemic conditions associated with generalized pruritus without a primary skin rash, such as psychiatric conditions, human immunodeficiency virus (HIV) infection, iron-deficiency anemia, diabetes mellitus, gluten enteropathy, renal or hepatic impairment, malignancies, and others. In most cases, the etiology of pruritus is unknown. Studies have suggested that prurigo nodularis may be a form of subclinical small fiber neuropathy and that Th2 cytokines play an important role in pathogenesis.

Dome-shaped, smooth or crusted nodules
Hypopigmented or violaceous



Multiple nodules
Pruritus
Excoriation

Extensor distribution | Lower back
Abdomen | Arms | Legs
Superior chest




点击图片可
查看大图

自测题




自测题



测验题显示
进度

自测题显示
对错



如需要更多详细内容

发送邮件：support@ovid.com

访问Ovid帮助资源中心：

英文版：<http://resourcenter.ovid.com>

中文版：<https://appjnswx1n4440.pc.xiao-tech.com/index>

资源服务微信公众号

敬请关注！





问题?

非常感谢!